



(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID : 140312

Roll No.

--	--	--	--	--	--	--	--	--	--

## B. Tech.

(SEM. III) (ODD SEM.) THEORY  
EXAMINATION, 2014-15

### THERMODYNAMICS

Time : 2 Hours]

[Total Marks : 50

1 Attempt any FOUR parts :

- a) An incompressible gas in the cylinder of 15 cm diameter is used to support a piston, as shown in FIG 1. Manometer indicates a difference of 12 cm of Hg column for the gas in cylinder. Estimate the mass of piston that can be supported by the gas. Take density of mercury as  $13.6 \times 10^3 \text{ kg/m}^3$ .




FIG 1

- b) What is meant by quasi-static process? Also discuss its physical significance.
- c) State Zeroth law of thermodynamics. Explain how the Zeroth law of thermodynamics can be used for temperature measurement.
- d) Define the first law of thermodynamics. How the first law of thermodynamics is applied to a closed system undergoing a non-cyclic process?
- e) An inelastic flexible balloon is inflated from initial empty state to a volume of  $0.4 \text{ m}^3$  with  $\text{H}_2$  available from hydrogen cylinder. For atmospheric pressure of 1.0313 bar determine the amount of work done by balloon upon atmosphere and work done by atmosphere.
- f) Draw the p-T diagram of pure substance and explain its various regions of the diagram in details.

2 Attempt any TWO parts :

- a) I. In a nozzle air at  $627^\circ\text{C}$  and twice atmospheric pressure enters with negligible velocity and leaves at a temperature of  $27^\circ\text{C}$ . Determine velocity of air at exit, assuming no heat loss and nozzle being horizontal. Take  $C_p = 1.005 \text{ kJ/kg.K}$  for air.
- II. Explain the reversible and irreversible processes.
- b) Three reversible engines of Carnot type are operating in series as shown in FIG 2 between the limiting temperatures of 1100 K and 300 K. Determine the intermediate temperatures if the work output from engines is in proportion of 3 : 2 : 1.




FIG 2

- c) State the Kelvin Planck and Clausius statements of 2<sup>nd</sup> law of thermodynamics. Show the equivalence of Kelvin Planck and Clausius statements of 2<sup>nd</sup> law of thermodynamics.

3 Attempt any TWO parts :

- a) Two insulated tanks are connected through a pipe with closed valve in between. Initially one tank having volume of  $1.8 \text{ m}^3$  has argon gas at 12 bar,  $40^\circ\text{C}$  and other tank having volume of  $3.6 \text{ m}^3$  is completely empty. Subsequently valve is opened and the argon pressure gets equalized in two tanks. Determine, (a) the final pressure & temperature (b) the change of enthalpy and (c) the work done considering argon as perfect gas and gas constant as  $0.208 \text{ kJ/kg. K}$ .

- b) Define availability. Obtain an expression for availability of closed system.
- c) Derive the expressions for the following :
  - I. Work of evaporation or external work of evaporation
  - II. Entropy of superheated steam
  - III. Entropy of evaporation.

4 Attempt any TWO parts :

- a) Find the change in entropy of steam generated at 400°C from 5 kg of water at 27°C and atmospheric pressure. Take specific heat of water to be 4.2 kJ/kg.K, heat of vaporization at 100°C as 2260 kJ/kg and specific heat for steam given by;  
 $C_p = R (3.5 + 1.2T + 0.14T^2)$  J/kg.K
- b) Discuss the significance of Clausius inequality and third law of thermodynamics.
- c) Two tanks A and B contain 1 kg of air at 1 bar, 50°C and 3 bar, 50°C when atmosphere is at 1 bar, 15°C. Identify the tank in which stored energy is more. Also find the availability of air in each tank.

5 Attempt any TWO parts :

- a) Write short notes on the following :  
 Brake power, Indicated power, Brake specific fuel consumption, Indicated specific fuel consumption, Brake mean effective pressure, Indicated mean effective pressure, Mechanical efficiency, Brake thermal efficiency, Indicated thermal efficiency.
- b) In a piston-cylinder arrangement the steam at 1.0 MPa, 80% dryness fraction, and 0.05 m<sup>3</sup> volume is heated to increase its volume to 0.2 m<sup>3</sup>. Determine the heat added.
- c) Describe simple Rankine cycle with P-V Diagram and any one method of dryness fraction measurement.